








BULLARD BOLLARDS

Tret sky

TRET SKY is a urban column 4400mm height made of die-cast aluminium with reflector in fiber glass for indirect lighting .TRET SKY is suitable for applications in public areas parkings and city centres . Dark sky system is provided to match most restrictive regulations on cut-off indirect light emissions.



CERTIFICATION	 
IP / IK RATING	IP 65
CLASSIFICATION	class I / II   class II upon request
DIMMABLE	dimnable DALI versione available upon request
BODY	cast aluminium EN AC 44100 high resistance to oxidation
COLUMN (CE)	extruded aluminium - zinc plated steel internal tude - to be rooted
DIFFUSER	soda-lime tempered cast glass 5 mm
EXTERNAL FIXINGS	stainless steel A4-70 treated with highly antioxidant water-repellent lubricating solution. The treatment ensures easy opening of the product for maintenance
SEALING GASKET	silicone
WIRING	fixture supplied pre-wired cable 5,5 m long H07RN8-F
LIGHT SOURCE	not included (Led integral)
FINISH	powder coating polyester high resistance to UV and oxidation

g@gordonbullard.com
www.bullardbollards.com
269-569-6700






991 South Gull Lake Dr
Richland, MI 49083, USA
1 877-964-464




BULLARD BOLLARDS

Tret sky




IP65  colour codes
 DALI  upon request
 .05 anthracite grey
 .13 light grey



8317.HLX.T-- 55 W Led 3000 K 7850 lm
8317.HMX.T-- 55 W Led 4000 K 8050 lm
 220-240 V 50/60 HZ
 clear diffuser
 led driver integral





8317.19F.T-- 70 W HIT G12 6600 lm
 220-240 V 50/60 HZ
 clear diffuser
 led driver integral




8317.21F.T-- 150 W HIT G12 14000 lm
 220-240 V 50/60 HZ
 clear diffuser
 led driver integral




IP65  colour codes
 DALI  upon request
 .05 anthracite grey
 .13 light grey

8314.19F.T-- 70 W HIT G12 6600 lm
 220-240 V 50/60 HZ
 clear diffuser
 led driver integral



8314.21F.T-- 150 W HIT G12 14000 lm
 220-240 V 50/60 HZ
 clear diffuser
 led driver integral



g@gordonbullard.com
www.bullardbollards.com
 269-569-6700



991 South Gull Lake Dr
 Richland, MI 49083, USA
 1 877-964-464



BULLARD
BOLLARDS

Tret sky



g@gordonbullard.com
www.bullardbollards.com
269-569-6700




991 South Gull Lake Dr
Richland, MI 49083, USA
1 877-964-464



**BULLARD
BOLLARDS**

Tret sky



IP65




colour codes


.05 anthracite grey
.13 light grey

DALI
upon
request


8312.HLX.T.-- 55 W Led 3000 K 7850 lm
8312.HMX.T.-- 55 W Led 4000 K 8050 lm
220-240 V 50/60 HZ
clear diffuser
led driver integral



8312.19F.T.-- 70 W HIT G12 6600 lm
220-240 V 50/60 HZ
clear diffuser
led driver integral



8312.21F.T.-- 150 W HIT G12 14000 lm
220-240 V 50/60 HZ
clear diffuser
led driver integral



g@gordonbullard.com
www.bullardbollards.com
269-569-6700




991 South Gull Lake Dr
Richland, MI 49083, USA
1 877-964-464



BULLARD
BOLLARDS

Tret sky



IP65







DALI upon request

colour codes

- .05 anthracite grey
- .13 light grey

8315.19F.T.-- 70 W HIT G12 6600 lm
220-240 V 50/60 HZ
clear diffuser
led driver integral

8315.21F.T.-- 150 W HIT G12 14000 lm
220-240 V 50/60 HZ
clear diffuser
led driver integral



g@gordonbullard.com
www.bullardbollards.com
269-569-6700




991 South Gull Lake Dr
Richland, MI 49083, USA
1 877-964-464



BULLARD BOLLARDS


Tret sky



IP65







DALI
upon
request






colour codes

- .05 anthracite grey
- .13 light grey




8313.HLX.T.-- 55 W Led 3000 K 7850 lm
8313.HMX.T.-- 55 W Led 4000 K 8050 lm
 220-240 V 50/60 HZ
 clear diffuser
 led driver integral



8313.19F.T.-- 70 W HIT G12 6600 lm
 220-240 V 50/60 HZ
 clear diffuser
 led driver integral



8313.21F.T.-- 150 W HIT G12 14000 lm
 220-240 V 50/60 HZ
 clear diffuser
 led driver integral



g@gordonbullard.com
www.bullardbollards.com
 269-569-6700




991 South Gull Lake Dr
 Richland, MI 49083, USA
 1 877-964-464



**BULLARD
BOLLARDS**

Tret sky



IP65


*

DALI
upon request


colour codes

- .05 anthracite grey
- .13 light grey

8316.19F.T.-- 70 W HIT G12 6600 lm
220-240 V 50/60 HZ
clear diffuser
led driver integral



8316.21F.T.-- 150 W HIT G12 14000 lm
220-240 V 50/60 HZ
clear diffuser
led driver integral



g@gordonbullard.com
www.bullardbollards.com
269-569-6700



991 South Gull Lake Dr
Richland, MI 49083, USA
1 877-964-464